

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("5933682" "5956044" "6285349" "5887223").pn.	USPAT	OR	OFF	2006/03/23 14:54
S3	0	("5933682" "5956044" "6285349" "5887223") and grat\$4	USPAT	OR	OFF	2006/03/23 14:54
S4	0	("5212546" "2012183" "5381309").pn. and grat\$3	USPAT	OR	OFF	2006/03/23 14:54
S5	0	("5212546" "2012183" "5381309").pn. and grat\$4	USPAT	OR	OFF	2006/03/23 14:54
S6	75558	(reference test proof) near5 (chart\$1 pallet\$1 pattern\$1 stripe\$1)	USPAT	OR	OFF	2006/03/23 15:12
S7	388	S6 with (grat\$4)	USPAT	OR	OFF	2006/04/06 17:28
S8	60	S6 with (grat\$4) with show\$4	USPAT	OR	OFF	2006/03/23 14:57
S9	60	S6 with (grat\$4) with show\$4	US-PGPUB; USPAT	OR	OFF	2006/03/23 14:57
S10	120	S6 with (grat\$4) with (show\$4 display\$4 includ\$4 contain\$4)	US-PGPUB; USPAT	OR	OFF	2006/03/23 14:58
S11	93	S6 with (grat\$4) and calibrat\$4	USPAT	OR	OFF	2006/03/23 14:59
S12	93	S6 with (grat\$4) and calibrat\$4	US-PGPUB; USPAT	OR	OFF	2006/03/23 14:59
S13	16	S6 with (grat\$4) and ("345".clas. "358".clas. "382".clas.)	USPAT	OR	OFF	2006/03/23 15:12
S14	11098	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1) with grat\$4	USPAT	OR	OFF	2006/03/23 15:12
S15	11149	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4	USPAT	OR	OFF	2006/04/18 15:01
S16	1503	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and calibrat\$4	USPAT	OR	OFF	2006/03/23 15:48
S17	66	S16 and ("345".clas. "358".clas. "382".clas.)	USPAT	OR	OFF	2006/03/23 15:13
S18	106	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and calibrat\$4 and printer	USPAT	OR	OFF	2006/03/23 15:48
S19	122	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and calibrat\$4 and printer\$1	USPAT	OR	OFF	2006/04/26 12:56

EAST Search History

S20	7676	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and (calibrat\$4 correct\$4 adjust\$4)	USPAT	OR	OFF	2006/03/23 15:50
S21	27	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and (calibrat\$4 correct\$4 adjust\$4) with printer\$1	USPAT	OR	OFF	2006/03/23 15:50
S22	319	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and (calibrat\$4 correct\$4 adjust\$4) with (printer\$1 display\$1)	USPAT	OR	OFF	2006/03/23 15:50
S23	52	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and (calibrat\$4) with (printer\$1 display\$1)	USPAT	OR	OFF	2006/03/24 11:15
S24	661	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4 and calibrat\$4 and (printer\$1 display\$1)	USPAT	OR	OFF	2006/03/23 15:50
S25	106	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) same grat\$4 and (calibrat\$4) with (printer\$1 display\$1)	USPAT	OR	OFF	2006/04/11 13:30
S26	1478	358/504	USPAT	OR	OFF	2006/03/24 11:16
S27	421	358/504.ccls.	USPAT	OR	OFF	2006/03/24 11:17
S28	44	358/504 and grat\$3	USPAT	OR	OFF	2006/04/11 13:29
S29	22	358/406 and grat\$3	USPAT	OR	OFF	2006/03/24 11:21
S30	75782	(reference test proof) near5 (chart\$1 pallet\$1 pattern\$1 stripe\$1)	USPAT	OR	OFF	2006/04/06 17:28
S31	391	S30 with (grat\$4)	USPAT	OR	OFF	2006/04/06 17:28
S32	93	S31 and calibrat\$4	USPAT	OR	OFF	2006/04/06 17:28
S33	93	S31 and calibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/06 17:29
S34	42	S31 and calibrat\$4 and print\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/06 17:29

EAST Search History

S35	43	S31 and calibrat\$4 and (print\$4 copy\$4 copier\$1 fax facsimile multifunction multi-function)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/06 17:30
S36	49	358/504 and grat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/11 13:29
S37	49	358/504 and grat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/11 13:29
S38	24	358/406 and grat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/11 13:30
S39	280	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) and grat\$4 and (calibrat\$4) with (printer\$1 display\$1)	USPAT	OR	OFF	2006/04/11 13:30
S40	206	S39 and intensity	USPAT	OR	OFF	2006/04/11 15:21
S41	757228	brightness or luminance or luma or luminosity or intensity	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/18 15:00
S42	11230	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4	USPAT	OR	OFF	2006/04/18 15:04
S43	6447	S41 and S42	USPAT	OR	OFF	2006/04/18 15:02
S44	1156	S41 and S42 and calibrat\$4	USPAT	OR	OFF	2006/04/18 15:02
S45	46525	S41 with (calibrat\$4 adjust\$4 correct\$4)	USPAT	OR	OFF	2006/04/18 15:19
S46	1006	S42 and S45	USPAT	OR	OFF	2006/04/18 15:03
S47	0	S46 and rpint\$4	USPAT	OR	OFF	2006/04/18 15:03
S48	302	S46 and print\$4	USPAT	OR	OFF	2006/04/18 15:04
S49	97797	S41 with (calibrat\$4 adjust\$4 correct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/18 15:19
S50	21602	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with grat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/18 15:04

EAST Search History

S51	1750	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/18 15:04
S52	489	S51 and print\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/18 15:05
S53	1750	S51 and grat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/18 15:05
S54	3	("5212546" "2012183" "5381309").pn.	USPAT	OR	OFF	2006/04/18 15:06
S55	3	("5212546" "5012183" "5381309").pn.	USPAT	OR	OFF	2006/04/18 15:06
S56	86	S49 with S50	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/18 15:07
S57	50282	S41 with (calibrat\$4 adjust\$4 correct\$4 match\$4)	USPAT	OR	OFF	2006/04/18 15:19
S58	104939	S41 with (calibrat\$4 adjust\$4 correct\$4 match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/26 12:57
S59	94	S58 with S50	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:44
S60	929	702/85	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:44
S61	1926	341/120	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:44
S62	246	250/363.09	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:44
S63	200	396/578	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:44

EAST Search History

S64	59	S60 and grat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:45
S65	27	S61 and grat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:45
S66	7	S62 and grat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:45
S67	1	S63 and grat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/19 12:45
S68	313	348/181	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/24 15:32
S69	427658	348/181, "182"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/24 15:32
S70	0	348/181,182	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/24 15:32
S71	427658	348/181, "182"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/24 15:32
S72	1265	348/181 348/182 348/189 348/190 348/177 348/178 348/806 348/807	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/24 15:33
S73	23	S72 and grat\$4	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/24 15:33
S74	1269	348/181 348/182 348/189 348/190 348/177 348/178 348/806 348/807	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/26 12:56
S75	1135	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) and S74	USPAT	OR	OFF	2006/04/26 12:58

EAST Search History

S76	1027	S75 and (calibrat\$4 adjust\$4 correct\$4 match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/26 12:57
S77	615	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with (calibrat\$4 adjust\$4 correct\$4 match\$4) and S74	USPAT	OR	OFF	2006/04/26 13:09
S78	758590	brightness or luminance or luma or luminosity or intensity	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/26 13:09
S79	128	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with (calibrat\$4 adjust\$4 correct\$4 match\$4) with S78 and S74	USPAT	OR	OFF	2006/04/28 17:43
S80	19	("5381349").URPN.	USPAT	OR	OFF	2006/04/26 14:21
S81	19	("5381349").URPN.	USPAT	OR	OFF	2006/04/28 13:40
S82	19	("5381349").URPN.	USPAT	OR	OFF	2006/04/28 13:42
S83	19	("5381349").URPN.	USPAT	OR	OFF	2006/04/28 15:43
S84	1	"5923315" and cpu same (bright\$4 intens\$4)	USPAT	OR	OFF	2006/04/28 15:52
S85	24	"5,298,993"	USPAT	OR	OFF	2006/04/28 17:42
S86	2	"5923315"	USPAT	OR	OFF	2006/04/28 17:42
S87	1269	348/181 348/182 348/189 348/190 348/177 348/178 348/806 348/807	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/04/28 17:43
S88	759221	brightness or luminance or luma or luminosity or intensity	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/28 17:43
S89	128	(reference test proof chart\$1 pallet\$1 pattern\$1 stripe\$1 patch\$2) with (calibrat\$4 adjust\$4 correct\$4 match\$4) with S88 and S87	USPAT	OR	OFF	2006/04/28 17:43
S90	63	S89 and camera\$1	USPAT	OR	OFF	2006/04/28 17:44
S91	20	S89 and camera\$1 with input\$4	USPAT	OR	OFF	2006/04/28 17:55
S92	2	"6850245"	USPAT	OR	OFF	2006/04/28 17:55
S93	2	"6850245" and adjust\$4	USPAT	OR	OFF	2006/04/28 17:55